CLAIMS:

WO 2005/083037

1. Illumination system, comprising a radiation source and a fluorescent material comprising at least one phosphor capable of absorbing a part of light emitted by the radiation source and emitting light of wavelength different from that of the absorbed light; wherein said at least one phosphor is a cerium-activated carbidonitridosilicate of general formula $(RE_{1-z})_{2-a}EA_a$ Si₄N_{6+a}C_{1-a}:Ce_z wherein $0 \le a < 1$, $0 < z \le 0.2$, EA is at least one earth alkaline metal selected from the group of calcium, strontium and barium, and RE is a least one rare earth metal chosen from the group of yttrium, gadolinium and lutetium.

22

PCT/IB2005/050521

- 10 2. Illumination system according to claim 1, wherein the radiation source is a light emitting diode.
- Illumination system according to claim 1, wherein the radiation source is selected from the light emitting diodes having an emission with a peak emission wavelength in the range of 400 to 480 nm and wherein the fluorescent material comprising a cerium-activated carbido-nitridosilicate of general formula (RE_{1-z})_{2-a}EA_a Si₄N_{6+a}C_{1-a}:Ce_z wherein 0 ≤ a < 1, 0 < z ≤ 0.2, EA is at least one earth alkaline metal selected from the group of calcium, strontium and barium, and RE is a least one rare earth metal chosen from the group of yttrium, gadolinium and lutetium.

20

4. Illumination system according to claim 1, wherein the radiation source is selected from the light emitting diodes having an emission with a peak emission wavelength in the range of 400 to 480 nm and the fluorescent material comprises a cerium-activated carbido-nitridosilicate of general formula $(RE_{1-z})_{2-a}EA_a$ Si₄N_{6+a}C_{1-a}:Ce_z wherein $0 \le a < 1$, $0 < z \le 0.2$, EA is at least one earth alkaline metal selected from the group of calcium, strontium and barium, and RE is a least one rare earth metal

chosen from the group of yttrium, gadolinium and lutetium and a second phosphor.

- 5. Illumination system according to claim 4, wherein the second phosphor is a red phosphor selected from the group $(Ca_{1-x}Sr_x)$ S:Eu, wherein $0 \le x \le 1$ and $(Sr_{1-x}yBa_xCa_y)_{2-z}Si_{5-a}Al_aN_{8-a}O_a$:Eu_z wherein $0 \le a < 5$, $0 < x \le 1$, $0 \le y \le 1$ and $0 < z \le 0.2$.
- 6. Illumination system according to claim 4, wherein the second phosphor is a green phosphor selected from the group comprising $(Ba_{1_X}Sr_x)_2$ SiO₄: Eu, wherein $0 \le x \le 1$, SrGa₂S₄: Eu and SrSi₂N₂O₂:Eu.

10

15

30

- 7. Illumination system according to claim 1, wherein the radiation source is selected from the light emitting diodes having an emission with a peak emission wavelength in the UV range of 200 to 420 nm and wherein the fluorescent material comprises a cerium-activated carbido-nitridosilicate of general formula $(RE_{1-z})_{2-a}EA_a$ $Si_4N_{6+a}C_{1-a}$:Ce_z wherein $0 \le a < 1$, $0 < z \le 0.2$, and EA is at least one earth alkaline metal selected from the group of calcium, strontium and barium, and RE is a least one rare earth metal chosen from the group of yttrium, gadolinium and lutetium.
- 8. Illumination system according to claim 1, wherein the radiation source is selected from the light emitting diodes having an emission with a peak emission wavelength in the UV-range of 200 to 420 nm and wherein the fluorescent material comprises a cerium-activated carbido-nitridosilicate of general formula (RE_{1-z})_{2-a}EA_a Si₄N_{6+a}C_{1-a}:Ce_z wherein 0 ≤ a < 1, 0 < z ≤ 0.2, and EA is at least one earth alkaline metal selected from the group of calcium, strontium and barium, and RE is a least one rare earth metal chosen from the group of yttrium, gadolinium and lutetium and a second phosphor.</p>
 - 9. Illumination system according to claim 8, wherein the second phosphor is a blue phosphor selected from the group of BaMgAl_{lo}0₁₇.Eu, Ba₅SiO₄(C1,Br)₆:Eu, CaLn₂S₄:Ce and (Sr,Ba,Ca) ₅(PO₄)₃Cl:Eu.

WO 2005/083037

PCT/IB2005/050521

- 10. Illumination system according to claim 8, wherein the second phosphor is a red phosphor selected from the group $Ca_{1-x}Sr_x$) S:Eu, wherein $0 \le x \le 1$ and $(Sr_{1-x-y}Ba_xCa_y)_{2-z}Si_{5-a}Al_aN_{8-a}O_a$:Eu_z wherein $0 \le a < 5$, $0 < x \le 1$, $0 \le y \le 1$ and $0 < z \le 0.2$.
- 5 11. Illumination system according to claim 8, wherein the second phosphor is a green phosphor selected from the group comprising (Ba_{1_x}Sr_x)₂ SiO₄: Eu, wherein 0 ≤ x ≤ 1, SrGa₂S₄ :Eu and SrSi₂N₂O₂:Eu.
- 12. Phosphor capable of absorbing a part of light emitted by the radiation source and emitting light of wavelength different from that of the absorbed light; wherein said phosphor is a cerium-activated carbido-nitridosilicate of general formula (RE_{1-z})_{2-a}EA_a Si₄N_{6+a}C_{1-a}:Ce_z wherein 0 ≤ a < 1, 0 < z ≤ 0.2, EA is at least an earth alkaline metal chosen from calcium, strontium and barium and RE is a least one rare earth metal chosen from the group of yttrium, gadolinium and lutetium.

15

- 13. Phosphor according to claim 12, wherein said phosphor additionally comprises a co-activator selected from the group of praseodymium and samarium.
- 14. Phosphor according to claim 12, wherein said phosphor is a cerium-20 activated carbido-nitridosilicate of general formula Y₂Si₄N₆C:5%Ce.
 - 15. Phosphor according to claim 12, wherein the phosphor has a coating selected from the group of fluorides and orthophosphates of the elements aluminum, scandium, yttrium, lanthanum gadolinium and lutetium, the oxides of aluminum,
- 25 yttrium and lanthanum and the nitride of aluminum.